JC07 Rec'd PCT/PTO 3 0 OCT 2001

			JUU/ No	8C a PUI/PIU 3 0 OCI 2001			
	RM PT∙ V. 10-9		MMERCE PATENT AND TRADEMARK OFFICE	ATTORNEY'S DOCKET NUMBER			
(1/1		RANSMITTAL LETTEI	02042(0)				
			C3913(C)				
,			TED OFFICE (DO/EO/US)	U.S. APPLICATION NO.			
	' (	CONCERNING A FILIR	NG UNDER 35 U.S.C. § 371	("FkTVO") OO 9810			
			,	10/009010			
INTE	RNA	TIONAL APPLICATION NO.	INTERNATIONAL FILING DATE	PRIORITY DATE CLAIMED			
			THE COUNTY OF THE PARTY OF THE	FRIORITI DATE CLAIMED			
PC	T/E	P00/03724	20 APRIL 2000	20 ADDII 4000			
			20 AFRIL 2000	30 APRIL 1999			
TIIL	E OF	INVENTION		· · · · · · · · · · · · · · · · · · ·			
~ ~							
			IE COMPOSITIONS AND MANUFA	ACTURE OF FABRIC			
SO	FTE	ENING COMPOSITION	NS THEREFROM				
		NT(S) FOR DO/EO/US					
FR	ASE	ER, STUART BERNAR	₹D				
Appl	licant	t herewith submits to the Uniter	d States Designated/Elected Office (DO/EO/US)	the following items and other information:			
٠.			7 Oldioo 2001g. 10000 20000 (200, 20, 20,	) the following Remarks and other information.			
1.	$\boxtimes$	This is a FIRST submission of	of items concerning a filing under 35 U.S.C. § 37	<i>7</i> 1.			
2.		This is a SECOND or SUBSE	EQUENT submission of items concerning a filing	g under 35 U.S.C. § 371.			
3.		This express request to begin	in national examination procedures (35 U.S.C. §	§371(f)) at any time rather than delay			
_		examination until the expiration	ion of the applicable time limit set in 35 U.S.C. §	\$371(b) and PCT Articles 22 and 39(l)			
4.	$\boxtimes$	A proper DEMAND for Interna	ational Preliminary Examination was made by th	ne 19 <sup>th</sup> month from the earliest claimed			
_	57	priority date.	" " " " " " " " " " " " " " " " " " " "				
5.	×	A copy of the International Application as filed (35 U.S.C. §371(c)(2))					
			with (required only if not transmitted by the Inter	mational Bureau).			
			ted by the International Bureau.				
6.		<ul> <li>c.          □ is not required, as the internation of the internation.</li> </ul>	the application was filed in the United States Re nal Application into English (35 U.S.C. §371(c)(2	eceiving Office (RO/US).			
7.	□ ⊠		final Application into English (35 U.S.C. §371(c)(2 f the International Application under PCT Article				
,.	E.34		rewith (required only if not transmitted by the Inte				
			itted by the International Bureau.	emational bureau).			
			de, however, the time limit for making such ame	andmente has NOT evaired			
			de and will not be made.	попена на пот ехрпес.			
8.			ents to the claims under PCT Article 19 (35 U.S.	C. 8371(c)(3))			
9.	$\boxtimes$	An unexecuted oath or declar	ration of the inventor(s) (35 U.S.C. §371(c)(4)).	o. 307 1(0)(0)).			
10.		A translation of the annexes t	to the International Preliminary Examination Rep	oort under PCT Article 36 (35 U.S.C.			
		§371(c)(5)).		, or and			
Item	s 11.	. To 16. Below concern docu	ment(s) or information included:				
11.		An Information Disclosure Sta	atement under 37 C.F.R. §§ 1.97 and 1.98.				
12.			recording. A separate cover sheet in compliance	ce with 37 C.F.R. §§3.28 and 3.31 is			
10	_	included.					
13.		A FIRST preliminary amendm					
4.4		A SECOND or SUBSEQUEN	T preliminary amendment.				
14.		A substitute specification.					
15.		A change of power of attorney	y and/or address letter.				
16.	16.   Other items or information:						

**√** = 50 €

MON TOO O F OTG/TOO h'nest TOOM.

		iora i o i/Lio 20 OCI 2001
U.S. APPLICATION NO. (If known, see 37 CFR §1 5)	INTERNATIONAL APPLICATION NO.	ATTORNEY'S DOCKET NUMBER
10/009610	PCT/EP00/03724	C3913(C)

17. ⊠ The following fees are su	ıbmitted:			CALCULATIONS PTO	LICE ONLY
17. & The following lees are so	brittled.			CALCULATIONS PTO	USE UNLY
BASIC NATIONAL FEE (	(37 CFR §1.492(a)(l)-(5)):				
			\$890.00		
	International preliminary examination fee paid to USPTO				
(37 CFR §1.482)					
No international prelimina	ary examination fee paid to	USPTO	\$		
	ernational search fee paid to	USPTO			
(37 CFR §1.445(a)(2))	,				
	iminary examination fee (37		\$		,
nor international search f	fee (37 CFR §1.445(a)(2)) p	aid to USPTO			
International preliminary	examination fee paid to US	PTO	\$		
	Claims satisfied provisions	of PCT			
article 33(2)-(4).					
•	ENTER ARRESTA	TE DAOIO EEE	****		
	ENTER APPROPRIA	I E BASIC FEE	AMOUN1 =		
				\$890.00	
Surcharge of \$130.00 for furnishing	the oath or declaration later	than □ 20 □ 30 mor	ths from the		
earliest claimed priority date (37 CFI					
CLAIMS	NUMBER FILED	NUMBER	RATE		
Total Claims	14 - 20 =	EXTRA	V 649.00		
Independent Claims	2-3=		X \$18.00 X \$80.00		
MULTIPLE DEPENDENT CLAIM(S			X \$270.00		
<u> </u>		ABOVE CALCUI		\$890.00	
Reduction of 1/2 for filing by small er					
be filed (Note 37 C.F.R. § § 1.9, 1.2	27, 1.28).	•			
		SU	BTOTAL =		
Processing fee of \$130.00 for furnish	hing the English translation I	ater than □ 20 □ 30	months from		
the earliest claimed priority date (37	C.F.R. § 1.492(f)).				
Fee for recording the enclosed assic	anment (37 C.F.R. § 1,21(h)	)). The assignment m	ust be		
	Fee for recording the enclosed assignment (37 C.F.R. § 1.21(h)). The assignment must be accompanied by an appropriate cover sheet ((37 C.F.R. §§ 3.28, 3.31). \$40.00 per property.				
		OTAL FEES EN		\$890.00	
			<u> </u>	Amount to be	
	Charged.				
		h		<u> </u>	

a.	A check in the amount of	to cover the above f	ees is enclosed

Please charge Deposit Account No. 12-1155 in the amount of \$890.00 to cover the above fees. Triplicate copies of this letter are enclosed.

The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 12-1155. Triplicate copies of this letter are enclosed.

Customer Number:



NOTE: Where an appropriate time limit under 37 C.F.R. § § 1.494 or 1.495 has not been met, a petition to revive (37 C.F.R. § § 1.137(a) or (b)) must be filed and granted to restore the application to pending status.

Respectfully submitted,

EAS/mt (201) 840-2925 Edward A. Savillante, 9r. Attorney of Record Reg. #38,319

10/009610

PATENT #99-0276-UNI Case #C3913(C)

Express Mail Label No.: ET 506 464 969 US

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

Fraser

Deposited:

October 30, 2001

For:

CONCENTRATED PERFUME COMPOSITIONS AND MANUFACTURE

OF FABRIC SOFTENING COMPOSITIONS THEREFROM

Edgewater, New Jersey 07020 October 30, 2001

#### **PRELIMINARY AMENDMENT**

Assistant Commissioner for Patents Washington, D.C. 20231

Sir:

With regard to the above-identified application filed concurrently herewith, please amend the following:

## In the Claims:

Please enter the following amended claims:

- 4. (Amended) A composition according to claim 1 comprising 40-85 wt% perfume.
- 5. (Amended) A composition according to claim 1 wherein the perfume has a solubility in water of equal to, or less than 0.5g in 100 ml of water at 20°C.
- 6. (Amended) A composition according to claim 1 comprising 0.2 wt% to 1 wt% dye.

- 7. (Amended) A composition according to claim 1 wherein the dye has a solubility in water of equal to or greater than 5g of 100 ml of water at 20°C.
- 8. (Amended) A composition according to claim 1 comprising 10 wt% 30 wt% cationic surfactant as the stabilising agent.
- 9. (Amended) A composition according to claim 1 wherein the cationic stabilising agent is a compound of general formula (A)

(A) 
$$\begin{array}{c} R^1 \\ R^2 \end{array} \qquad \begin{array}{c} R^3 \\ R^4 \end{array}$$

Wherein  $R^1$  and  $R^2$  are independently  $C_1$ - $C_6$  alkyl, alkenyl, substituted alkyl or alkenyl groups, or hydroxyalkyl groups and  $R^3$  and  $R^4$  are independently  $C_8$ - $C_{28}$  alkyl, alkenyl, substituted alkyl or alkenyl groups, or hydroxalkyl groups or, a compound of general formula (I)

$$R^{1}$$
 $R^{1}$ 
 $R^{1$ 

wherein each  $R^1$  group is independently selected from  $C_{1-4}$  alkyl, hydroxyalkyl or  $C_{2-4}$  alkyl groups; and wherein each  $R^2$  group is independently selected from  $C_{8-28}$  alkyl or alkenyl groups;  $X^-$  is chloride or methosulphate.

T is 
$$\begin{array}{ccc} O & O & O \\ II & -C & \text{or} & -C & -C \end{array}$$
 ; and

n is an integer from 0-5

or, a compound of general formula (ii)

$$(R^1)_3N^+$$
  $(CH_2)_n$   $CH$   $CH_2OOCR^2$   $X^-$  (ii)

wherein  $R^1$ , n,  $R^2$  and  $X^-$  are as defined above.

- 10. (Amended) A composition according to claim 1 wherein the weight ratio of perfume to dye is within the range 200:1 to 5:1, preferably 100:1 to 15:1.
- 11. (Amended) A composition according to claim 1 wherein the weight ratio of perfume to stabilising agent is 10:1 to 1:1, preferably 5:1 to 1:1.
- 12. (Amended) A composition according to claim 1 comprising 0.1-10 wt% water.
- 13. (Amended) A method of preparing a fabric softening composition comprising the steps;
- (i) preparing a base composition comprising a cationic and/or nonionic fabric softening agent, and
  - (ii) adding to (i) a composition according to claim 1, to produce the fabric softening composition.

#### **REMARKS**

The present amendment is submitted to eliminate multiple dependencies and to correct minor typographical errors. The amendments were not intended to and should not be construed to have been made for any reasons related to patentability of the claims.

Attached hereto is a marked-up version of the changes made to the claims by the current amendment. The attachment is captioned "Version with Markings to Show Changes Made".

Respectfully submitted,

Edward A. Squillante, Jr.

Reg. No. 38,319

Attorney for Applicant(s)

EAS/mt (201) 840-2925

### VERSION WITH MARKINGS TO SHOW CHANGES MADE

- 4. <u>(Amended)</u> A composition according to <del>any one of the preceding claims</del> claim 1 comprising 40-85 wt% perfume.
- 5. <u>(Amended)</u> A composition according to any one of the preceding claims claim 1 wherein the perfume has a solubility in water of equal to, or less than 0.5g in 100 ml of water at 20°C.
- 6. <u>(Amended)</u> A composition according to any one of the preceding claims claim 1 comprising 0.2 wt% to 1 wt% dye.
- 7. (Amended) A composition according to any one of the preceding claims claim 1 wherein the dye has a solubility in water of equal to or greater than 5g of 100 ml of water at 20°C.
- 8. (Amended) A composition according to any one of the preceding claims claim 1 comprising 10 wt% 30 wt% cationic surfactant as the stabilising agent.
- 9. (Amended) A composition according to any one of the preceding claims claim 1 wherein the cationic stabilising agent is a compound of general formula (A)

(A) 
$$R^{1} \sim R^{3}$$

$$R^{2} \sim R^{3}$$

Wherein  $R^1$  and  $R^2$  are independently  $C_1$ - $C_6$  alkyl, alkenyl, substituted alkyl or alkenyl groups, or hydroxyalkyl groups and  $R^3$  and  $R^4$  are independently  $C_8$ - $C_{28}$  alkyl, alkenyl, substituted alkyl or alkenyl groups, or hydroxalkyl groups or, a compound of general formula (I)

$$R^{1}$$
 $R^{1}$ 
 $N^{+}$ 
 $(CH_{2})_{n}$ 
 $T$ 
 $R^{2}$ 
 $(CH_{2})_{n}$ 
 $T$ 
 $R^{2}$ 
 $(CH_{2})_{n}$ 

wherein each  $R^1$  group is independently selected from  $C_{1-4}$  alkyl, hydroxyalkyl or  $C_{2-4}$  alkyl groups; and wherein each  $R^2$  group is independently selected from  $C_{8-28}$  alkyl or alkenyl groups;  $X^-$  is chloride or methosulphate.

$$T_{1S}$$
  $\overset{O}{\longrightarrow} \overset{O}{\longrightarrow} \overset{O}{\longrightarrow} \overset{O}{\longrightarrow} \overset{O}{\longrightarrow} ;$  and

n is an integer from 0-5

or, a compound of general formula (ii)

$$(R^{1})_{3}N^{+} (CH_{2})_{n} - CH CH_{2}OOCR^{2}$$
  $X^{-}$  (ii)

wherein  $R^1$ , n,  $R^2$  and  $X^-$  are as defined above.

10. <u>(Amended)</u> A composition according to any one of the preceding claims<u>claim 1</u> wherein the weight ratio of perfume to dye is within the range 200:1 to 5:1, preferably 100:1 to 15:1.

- 11. <u>(Amended)</u> A composition according to any one of the preceding claims claim 1 wherein the weight ratio of perfume to stabilising agent is 10:1 to 1:1, preferably 5:1 to 1:1.
- 12. <u>(Amended)</u> A composition according to any one of the preceding claims claim 1 comprising 0.1-10 wt% water.
- 13. (Amended) A method of preparing a fabric softening composition comprising the steps;
- (i) preparing a base composition comprising a cationic and/or nonionic fabric softening agent, and
- (ii) adding to (i) a composition according to any one of the preceding claimsclaim 1,

to produce the fabric softening composition.

# PCT/PTO 3 0 OCT 2001

WO 00/66703

1

# Concentrated Perfume Compositions and Manufacture of a Fabric Softening Compositions Therefrom

#### Technical Field

5

The present invention relates to concentrated perfume compositions. The invention further relates to a method of manufacturing a fabric softening composition from the concentrated perfume composition, and, to a fabric 10 softening composition so produced.

#### Background and Prior Art

inaccurate dosing.

In the commercial manufacture of fabric softening
15 compositions the accurate dosing of minor ingredients e.g.
dyes, perfumes etc. is often problematic because of the low
levels of these ingredients required in the compositions so
that the relative proportions of these minor ingredients
are difficult to control. Also when compositions are
20 produced in batches this requires that the exact levels of
minor ingredients, particularly dye and perfume, must be
added individually which increases the possibility of

25 It is also known that concentrated perfume compositions are prone to instability problems.

Thus there is a need to provide stable concentrated compositions of well-known minor ingredients such as dyes 30 and perfumes for use in the manufacture of coloured and perfumed compositions such as fabric softening compositions.

WO 98/08927 (Colgate-Palmolive Company) discloses colour/perfume concentrate compositions comprising 0.01% to 85% by weight of a polymer bound water soluble azo dye, 99.95% to 15% by weight of a perfume and 0 to 99.99% by 5 weight of a nonionic surfactant or an ethoxylated glycerol type compound.

WO 00/06690 (Colgate-Palmolive Company), published 10 February 2000, discloses a water-in-oil microemulsion which 10 is capable of being mixed with an aqueous fabric softener base composition and which comprises 5 to 80% by weight of a surfactant fabric softener, a solvent, perfume and colourant.

15 EP 922 755 (Procter & Gamble) discloses compositions wherein alcohol ethoxylates are used to solubilise dye.

US 5 447 644 (IFF Inc.) discloses a method of controlling the viscosity of fabric softening compositions to improve 20 shelf life by first forming a micro-emulsion of perfume and surfactant.

The present invention seeks to address the above problems and to provide a stable concentrated composition which 25 comprises at least two minor ingredients found in fabric softening compositions at higher levels than are typically used in a consumer product.

### Definition of the Invention

30

Accordingly the present invention provides a liquid composition comprising;

- (a) 15 95 wt% lipophilic perfume,
- (b) 0.05 5 wt% water-soluble dye,
- (c) 4 50 wt% of stabilising agent comprising a cationic stabilising agent, and
- 5 (d) water-miscible solvent,

wherein the composition comprises between 0.1 to 20 wt% water, and the cationic stabilising agent has an  $L\alpha$  to  $L\beta$  transition temperature of 45°C or below for a 5% wt 10 dispersion of the stabilising agent in water, and the solvent is present in an amount of up to 10 wt%.

All percentages by weight herein refer to the percentage based on the total amount of the composition.

The invention also provides a method of preparing a fabric softening composition comprising the steps;

- (i) preparing a base composition comprising a 20 cationic and/or nonionic fabric softening agent, and
  - (ii) adding to (i) a composition as defined above to produce the fabric softening composition.
- 25 Furthermore the invention also provides a fabric softening composition obtainable by the method above.

The invention provides a concentrated perfume-containing composition that also contains dye, both in a much higher 30 concentration than would typically be found in a fabric softening composition. This provides a stable pre-mix of minor ingredients (perfume and dye). Which can be prepared

at suitable ratios for direct dosage into a base composition. Excellent accuracy of the dosage of these minor ingredients into a base composition is achieved and this thus simplifies automated preparation of fabric 5 softening compositions.

Furthermore the concentrated perfume and dye compositions allow accurate dosing of these minor ingredients to a base composition at a late stage (eg. after the main active 10 ingredients have been mixed) of the manufacture of a fabric softening composition. This in turn allows a wide range of compositions to be prepared from a pre-compounded base composition, so providing easier and more versatile manufacture. Thus changing between variant formulations is 15 simplified as only a small part of the automated production apparatus requires cleaning when the 'minors' are changed in the composition (as a single 'minor' composition can be used in the process). This provides reduced aqueous effluent, saves production time and provides increased 20 production flexibility.

In particular, the invention provides the preparation of a concentrated composition of perfume and dye, wherein the perfume and dye are of different lipophilic and lipophobic characters.

## Detailed Description of the Invention

The composition of the invention is preferably an isotropic 30 liquid, most preferably a microemulsion, and especially a water-in-oil microemulsion.

WO 00/66703 PCT/EP00/03724

5

It is preferred that if the composition is an isotropic liquid it does not contain liquid crystalline phases.

Where the compositions are not clear, they should be stable 5 to storage at 20°C for several days eg. 2 days. Whilst some degree of cloudiness can be tolerated in the compositions, it is preferred that they are isotropic liquids. Such isotropic liquids may have included therein minor amounts of materials that are not isotropic, provided, the 10 stability of the composition is not adversely affected.

#### Perfume

The perfume used in the invention is lipophilic in nature. By a lipophilic perfume is meant that the perfume has a 15 solubility in water (i.e. it dissolves) of 1g or less in 100 ml of water at 20°C. Preferably the solubility in water is equal to or less than 0.5g, preferably equal to or less than 0.3g in 100ml of water at 20°C. Such perfumes may be referred to as water-insoluble perfumes.

20

The perfume may be any conventional perfume used in fabric softening compositions. The perfume will thus preferably be compatible with the fabric softening actives typically found in fabric softening compositions, although, not many 25 commercially available perfumes will not be compatible. Also the perfume will generally be polar in nature.

When the composition is a water-in-oil microemulsion the perfume will, because of its lipophilic nature, form the 30 predominant part of the oil phase. It is preferred if the perfume comprises 60% by weight or more, preferably 70% by

weight or more, of the oil phase when the composition is a water-in-oil microemulsion.

Perfumes contain a number of ingredients which may be 5 natural products or extracts such as essential oils, absolutes, resinoids, resins etc. and synthetic perfume components such as hydrocarbons, alcohols, aldehydes, ketones ethers, acids, esters, acetals, ketals, nitriles, phenols, etc. including saturated and unsaturated

10 compounds, aliphatic, alicyclic, heterocyclic and aromatic compounds. Examples of such perfume components are to be found in "Perfume and Flavour Chemicals" by Steffen Arctander (Library of Congress catalogue card no. 75-91398).

15

Any lipophilic perfume which is compatible with nonionic and/or cationic compounds may be used in the composition.

The compositions contain 15 - 95 wt% of lipophilic perfume, 20 preferably 20 - 90 wt%, more preferably 25 - 85 wt%, such as 40 - 85 wt%, e.g. 45 - 80 wt%.

More than one lipophilic perfume may be used in the compositions of the invention.

25

#### Dye

The dye is an at least a sparingly water-soluble dye and may be any such dye conventionally used in softening and cleaning products. It is especially preferred that the dye 30 has a solubility in water of equal to, or greater than, 2g in 100 ml of water at 20°C, preferably equal to or greater than 5g.

WO 00/66703 PCT/EP00/03724

7

The dye may be an acid-dye or other suitable type of dye. For an acid dye, the solubility may be as high as 50g in 100ml of water of 20°C.

5 The dye is present in an amount of 0.05 - 5 wt%, preferably 0.1 - 2 wt%, more preferably 0.2 - 1 wt%, eq 0.25 - 0.7wt%.

The weight ratio of perfume to dye is preferably within the 10 range 200:1 to 5:1, more preferably 150:1 to 10:1, e.g. 100:1 to 15:1, such as 80:1 to 20:1. Depending upon the amount of dye required, the ratio could be towards the lower end of the ratio e.g. 40:1 to 25:1. However if only a small amount of dye is required the ratio may be higher 15 e.g. 900:1 to 200:1, eg. 900:1 to 250:1.

#### Stabilising agent

The stabilising agent comprises a cationic stabilising agent having an  $L\alpha$  to  $L\beta$  transition temperature of 45°C or 20 below for a 5 wt% dispersion of the stabilising agent in water. This  $L\alpha$  to  $L\beta$  transition can be measured by DSC as defined in "Handbook of Lipid Bilayers", D Marsh, CRC Press, Boca Raton, Florida, 1990 (pages 137 and 337).

- 25 Any cationic stabilising agent meeting the above transition temperature requirement, may be used according to the invention. Compounds falling within definitions of formulae (i) are (ii) below and meeting the transition temperature requirements are cationic stabilising agents according to 30 the invention. Compounds falling within the definitions (i)
- and (ii) but which do meet the transition temperature

requirements are not cationic stabilising agents as herein defined.

The cationic stabilising agent used in the invention is preferably a cationic surfactant, more preferably one of the quaternary ammonium compounds of formulae (A), (i) or (ii) below. Compounds of these formulae are only stabilising agents as referred to herein if they meet the above transition temperature requirement.

10

(A) 
$$\begin{array}{c} R^1 & R^3 \\ & \\ R^2 & \end{array}$$

anion eg Cl, MESO4, Br, I acetate etc.

is ditallowyl dimethyl ammonium chloride.

15 wherein  $R^1$  and  $R^2$  are independently  $C_1\text{-}C_6$  alkyl, alkenyl, substituted alkyl or alkenyl groups, or hydroxyalkyl groups and  $R^3$  and  $R^4$  are independently  $C_8\text{-}C_{28}$  alkyl, alkenyl, substituted alkyl or alkenyl groups, or hydroxalkyl groups. Preferably  $R^1$  and  $R^2$  are independently  $C_1\text{-}C_2$  groups and  $R^3$  20 and  $R^4$  are independently  $C_{12}\text{-}C_{22}$  groups,  $X^-$  is a compatible

A cationic surfactant stabiliser according to formula (A)

25

The cationic stabiliser may also be a compound as defined by formulae (i) and (ii) below, provided, that compound meets the transition temperature requirements therein defined.

30

A cationic stabiliser according to formula (i) below is dioleyl ester of methyl triethanol ammonium methosulphate

WO 00/66703 PCT/EP00/03724

9

wherein one  $R^1$  is methyl and one is hydroxyethyl, both n are 2, both T are O-C=0, and both  $R^2$  are tallow.

It is preferred that the stabilising agent is compatible 5 with conventional fabric softening agents, and in particular with the fabric softening agents described herein. Mixtures of cationic stabilising agents may also be included. In many cases the cationic stabilising agent and the fabric softening agent will be the same compound.

10

#### Optional stabilising agent

Nonionic stabilising agents may be used in addition to the cationic stabilising agent. Preferably the nonionic stabilising agent is a nonionic surfactant. Suitable types of nonionic surfactants include alcohol alkoxylates especially ethoxylates, preferably C<sub>8</sub>-C<sub>20</sub> alkyl esters alkoxylated with an average of 1 to 10 alkoxylate units, preferably 1 to 7 alkoxylate units. The ethoxylates, especially secondary alcohol ethoxylates, are particularly preferred.

The total amount of stabilising agent (cationic or cationic plus nonionic) in the compositions is 4 wt% - 50 wt%, preferably 10-30 wt%, more preferably 15-25 wt%. Where a 25 mixture of cationic and nonionic stabilisers are used, the weight ratio of cationic:nonionic is preferably in the range 99:1 to 50:50, more preferably 99:1 to 60:40.

It is especially preferred that 10wt% - 30wt% cationic 30 surfactant is used as the stabilising agent, plus optionally an additional amount of nonionic stabilising agent.

The weight ratio of perfume to the total amount of stabilising agent is preferably within the range 10:1 to 1:1, more preferably 8:1 to 1:1, e.g. 5:1 to 1:1, e.g. 3:1 to 1:1.

5

#### Water-miscible solvent

The compositions comprise water-miscible solvents in amounts of up to 10wt% of the composition, preferably up to 7.5 wt% as an essential element of the invention. The 10 solvent is preferably present in an amount of 0.1 - 10wt %, more preferably 0.5 to 7.5 wt%.

The water-miscible solvent may be solvent having a  $C_1$ - $C_6$  alkyl chain such as ethanol or isopropanol. The solvent may 15 be present in the compositions either through direct addition or it may be added by being present in the stabilising agent or other component of the composition.

The compositions may also include low amounts (up to 5% by 20 weight) of 'minor' ingredients (other than dye or perfume) typically found in fabric softening compositions, provided, the stability of the composition is not affected. 'Minor' ingredients that may be included include fatty acids, non-aqueous solvents, fluorescers, hydrotropes, antifoaming 25 agents, anti-redeposition agents, enzymes, optical brightening agents, opacifiers, anti-shrinking agents, anti-wrinkle agents, anti-spotting agents, germicides, fungicides, anti-oxidants, UV absorbers (sunscreens), sequestrants, preservative, chlorine scavengers, pH

30 buffering agents, dye fixatives, anti-corrosion agents, drape imparting agents, and antistatic agents.

The compositions comprise 0.1-20 wt% water, preferably 0.1-15 wt%, more preferably 0.1-10 wt%.

Any suitable method of preparing the compositions of the 5 invention may be used. For example the perfume, stabilising agent and any other oil soluble ingredients are mixed together to form a clear liquid. Gentle heating and/or stirring may be necessary at this point to produce the clear liquid (typically heating at 25-45°C). Water-soluble 10 ingredients including the dye (and other 'minor' ingredients such as preservative) are dissolved separately in the required amount of water. The water-soluble aqueous portion is added to the perfume containing mixture, in aliquots if required, with stirring to produce the 15 composition.

A further aspect of the present invention provides a method of producing a fabric softening composition by adding a composition of the invention to a base composition

20 comprising a cationic and/or nonionic fabric softening agent. Preferably the base composition is aqueous. The

The composition is added at a suitable % by weight to give 25 the required amount of perfume and dye etc. in the resultant fabric softening composition. The addition amount, and effectiveness of mixing, can be easily checked by measuring the colour. The fabric softener composition produced by the above method contains cationic and/or 30 nonionic fabric softening agents.

addition may be made in any suitable manner.

Types of cationic fabric softeners that may be used in the fabric softening compositions produced from the compositions of the invention include substantially water-insoluble quaternary ammonium materials, for example, a compound having two C<sub>12</sub>-C<sub>22</sub> alkyl or alkenyl groups connected to a quaternary ammonium head group or a compound comprising a single long chain with an average chain length equal to or greater than C<sub>20</sub>. Preferably these are connected to the quaternary ammonium head group via at 10 least one ester link.

More preferably, the invention is useful for preparing compositions comprising quaternary ammonium material comprising a compound having two long chain alkyl or 15 alkenyl chains with an average chain length equal to or greater than C<sub>14</sub>. Even more preferably, each chain has an average chain length equal to or greater than C<sub>16</sub>. Most preferably at least 50% of each long chain alkyl or alkenyl group has a chain length of C<sub>18</sub>.

20

It is preferred if the long chain alkyl or alkenyl groups are predominantly linear. The especially preferred esterlinked quaternary ammonium materials for use in the invention can be represented by the formula (i):

25

$$R^{1}$$
 $R^{1}$ 
 $N^{+}$ 
 $CH_{2})_{n}-T-R^{2}$ 
 $CH_{2})_{n}-T-R^{2}$ 
 $CH_{2})_{n}-T-R^{2}$ 

30

wherein each  $\ensuremath{\text{R}}^1$  group is independently selected from  $C_{1\text{--}4}$ 

alkyl, hydroxyalkyl or  $C_{2-4}$  alkenyl groups; and wherein each  $R^2$  group is independently selected from  $C_{8-28}$  alkyl or alkenyl groups;  $X^-$  is any suitable counterion, for instance a halide, acetate or lower alkosulphate ion, such 5 as chloride or methosulphate,

30

Di(tallowyloxyethyl) dimethyl ammonium chloride, available from Clariant, is especially preferred, also Di(hardened tallowyloxyethyl) dimethyl ammonium chloride, ex Clariant).

15 Dioleyl ester of methyl triethanol ammonium methosulphate wherein one R<sup>1</sup> is methyl and one is hydroxyethyl, both n

wherein one  $R^1$  is methyl and one is hydroxyethyl, both n are 2, both T are O-C=O, and both  $R^2$  are tallow may also be used.

20 A second preferred type of quaternary ammonium material can be represented by the formula (ii):

wherein  $R^1$ , n,  $R^2$  and  $X^-$  are as defined above.

It is advantageous for environmental reasons if the quaternary ammonium material is biologically degradable.

WO 00/66703 PCT/EP00/03724

14

Preferred materials of this class such as 1,2 bis[hardened tallowoyloxy]-3- trimethyl ammonium propane chloride and their method of preparation are, for example, described in US 4 137 180 (Lever Brothers). Preferably these materials 5 comprise small amounts of the corresponding monoester as described in US 4 137 180 for example 1-hardened tallow-oyloxy-2-hydroxy -3-trimethylammonium propane chloride.

The fabric softeners used in the compositions produced from 10 the compositions of the invention are not required to meet the  $L\alpha$  to  $L\beta$  transition temperature referred to above. Only the cationic stabilisers, which may be of formulae (i) or (ii) above, are required to have the specified transition temperature. If compounds of these formulae are used only 15 as a fabric softening active material, the transition temperature requirement does not apply.

Substantially water-insoluble fabric softening compounds are defined as fabric softening compounds having a 20 solubility of less than 1 x  $10^{-3}$  wt % in demineralised water at 20°C. Preferably the fabric softening compounds have a solubility of less than 1 x  $10^{-4}$  wt%, more preferably less than 1 x  $10^{-8}$  to 1 x  $10^{-6}$  wt%.

25 The fabric softening compositions typically contain 1-8wt% of the fabric softening compound, and are known as dilute compositions. They may also contain higher amounts, such as 8-50% softening compounds in which case they are known as concentrates.

Nonionic fabric softeners may also be used, for example sorbitan esters and glycerol monostearate.

Further ingredients, typically minor ingredients, may be 5 added to the fabric softener compositions produced by the method described herein.

The present invention will be exemplified by way of the following examples. Further examples within the scope of 10 the invention will be apparent to the skilled person. The reference to grams of active ingredient in each example refers to the weight of each ingredient as supplied by the manufacturer used in the example.

# 15 Example 1; concentrated perfume composition

The composition below was prepared by mixing the perfume and Tetranyl AO-1 to form a clear liquid. Gentle warming was used. The dye and water were mixed to form a solution and this was added in aliquots to the perfume mixture to 20 produce the composition.

grams of active

ingredient

Perfume\*1

34.2

TETRANYL AO-1\*2

10.0

Patent blue dye

2.0

(10% aqueous

solution by weight)

\*1 - SOFTLINE 2000 (ex Givaudan Roure; SOFTLINE IS A TRADEMARK)

PCT/EP00/03724

- \*2 TETRANYL AO-1 is 90% dioleyl ester of methyl triethanol ammonium methosulphate, 10% IPA (Ex Kao). TETRANYL is a trademark.
- 5 Example 2; concentrated perfume composition

The composition below was prepared according to the method of example 1.

	grams of active
	ingredient
Perfume*3	34.2
AO-1*2	10.0
Patent blue dye (5%	2.0
aqueous solution by	
weight)	
*3 SOFTLINE B53 ex Gi	vaudan Roure

### 10 Example 3; concentrated perfume composition

The composition below was prepared according to the method of example 1.

	grams of active
	ingredient
Perfume*1	34.2
PRAPAGEN 3445*4	10.0
Patent blue dye	2.0
(10% aqueous	
solution by weight)	

15 \*4 - PRAPAGEN 3445 is 70% ditallowyl dimethyl quaternary ammonium chloride, 20%IPA and 10% water (ex Clariant). PRAPAGEN is a trademark.

## Example 4; concentrated perfume composition

The composition below was prepared according to the method of example 1.

5

	grams of active
	ingredient
Perfume*5	34.2
ARQUAD 2T <sup>*6</sup> (as	12.2
supplied)	
RHODAMINE B dye (5%	2.0
aqueous solution by	
weight)	

- \*6 cationic surfactant ditallowyl dimethyl quaternary ammonium chloride (ex Akzo). ARQUAD is a trademark.
- $\star 5$  HORIZON 2000 ex IFF. HORIZON is a trademark. RHODAMINE is a trademark.

10

# Example 5; concentrated perfume composition

The composition below was prepared according to the method of example 1.

	grams of active
	ingredient
Perfume <sup>*5</sup>	34.2
AO-1 *2	10.0
Patent blue dye	2.0
(10% aqueous	
solution by weight)	

### Example 6; concentrated perfume composition

The composition below was prepared according to the method of example 1.

	grams of active
	ingredient
Perfume*3	35.0
GENAPOL Coco 10*7	3.0
AOT-1 *8	4.6
Patent blue dye (5%	2.0
aqueous solution by	
weight)	

- \*7 Genapol C-10 is coconut ethoxlated alcohol with an 5 average of 10 moles of ethoxylate per mole of fatty alcohol (ex Clariant). GENAPOL is a trademark.
  - \*8 TETRANYL AOT-1 is 80% dioleyl ester of methyl triethanol ammonium methosulphate, 20% dipropylene glycol solvent
- 10 Examples 1 to 6 were all stable, isotropic water-in-oil microemulsions.

# Examples 7; use of example 1 to prepare a fabric softening composition

15

A fabric softening base composition comprising 94.5 parts water and 5 parts dihardened tallow dimethyl ammonium chloride was prepared. To this 0.5 parts of example 1 was added and the composition stirred until homogeneous (to

20 provide approximately 0.37% perfume, 0.11% AO-1 and 0.002% dye). A stable fabric softening composition was produced that showed the same physical characteristics as the comparative example below.

PCT/EP00/03724

19

A comparative example was produced by the conventional method of mixing together the following ingredients:

#### grams of active

## ingredient

Dihardened tallow

5.0

dimethyl ammonium

chloride

Perfume\*1

0.3

Patent blue dye

0.002

Water

to 100%

The fabric softening composition comparative example and 5 the fabric softening composition produced from example 1 both exhibited good stability on storage at room temperature.

### Example 8

- 10 A concentrated fabric conditioner was prepared from 1,2 bis[hardened tallowoyloxy]-3-trimethyl ammonium propane chloride following standard procedures but without perfume or dye. Subsequently the perfume dye mixture of example 2 was added to this composition with gentle stirring. The
- 15 Table below shows product viscosity, measured at 106S<sup>-1</sup>, as a measure of stability compared with a control product of identical composition but with perfume and dye added separately during the conditioner preparation.

4 °C		24 hours old	2 weeks	4 weeks
4 0	Prototype	113	98	88
	Control	114	111	101
Ambient	Prototype	113	103	86
	Control	114	112	96
37°C	Prototype	113	101	84
	control	114	107	90

#### Claims

- 1. A liquid composition comprising;
  - (a) 15 95 wt% lipophilic perfume,
  - (b) 0.05 5 wt% water-soluble dye,
  - (c) 4 50 wt% of a stabilising agent comprising a cationic stabilising agent, and
  - (d) water miscible solvent wherein the composition comprises between 0.1 to 20 wt% water, the cationic stabilising agent has an L $\alpha$  to L $\beta$  transition temperature of 45°C or below for a 5 wt% dispersion of the stabilising agent in water and the solvent is present in an amount of up to 10wt%.
- 2. A composition according to claim 1 wherein the composition is an isotropic liquid.
- 3. A composition according to claim 2 wherein the isotropic liquid is a water-in-oil microemulsion.
- 4. A composition according to any one of the preceding claims comprising 40-85 wt% perfume.
- 5. A composition according to any one of the preceding claims wherein the perfume has a solubility in water of equal to, or less than, 0.5g in 100 ml of water at 20°C.
- 6. A composition according to any one of the preceding claims comprising 0.2 wt% to 1 wt% dye.

- 7. A composition according to any one of the preceding claims wherein the dye has a solubility in water of equal to or greater than, 5g in 100 ml of water at 20°C.
- 8. A composition according to any one of the preceding claims comprising 10 wt% - 30 wt% cationic surfactant as the stabilising agent.
- 9. A composition according to any one of the preceding claims wherein the cationic stabilising agent is a compound of general formula (A)

(A) 
$$\begin{array}{c} R^1 & R^3 \\ & \\ R^2 & R^4 \end{array}$$

wherein  $R^1$  and  $R^2$  are independently  $C_1$ - $C_6$  alkyl, alkenyl, substituted alkyl or alkenyl groups, or hydroxyalkyl groups and  $R^3$  and  $R^4$  are independently  $C_8$ - $C_{28}$  alkyl, alkenyl, substituted alkyl or alkenyl groups, or hydroxalkyl groups

or, a compound of general formula (i)

$$R^{1}$$
 $R^{1}$ 
 $N^{+}$ 
 $CH_{2})_{n}-T-R^{2}$ 
 $CH_{2})_{n}-T-R^{2}$ 
 $CH_{2})_{n}-T-R^{2}$ 

wherein each  $R^1$  group is independently selected from  $C_{1-4}$ 

PCT/EP00/03724

alkyl, hydroxyalkyl or  $C_{2-4}$  alkenyl groups; and wherein each  $R^2$  group is independently selected from  $C_{8-28}$  alkyl or alkenyl groups;  $X^-$  is chloride or methosulphate.

O O 
$$\parallel$$
  $\parallel$  T is -O-C- or -C-O-; and n is an integer from 0-5

or, a compound of general formula (ii)

$$(R^{1})_{3}N^{+} - (CH_{2})_{n} - CH X^{-}$$

$$(L_{2}OOCR^{2})$$

wherein  $R^1$ , n,  $R^2$  and  $X^-$  are as defined above.

- 10. A composition according to any one of the preceding claims wherein the weight ratio of perfume to dye is within the range 200:1 to 5:1, preferably 100:1 to 15:1.
- 11. A composition according to any one of the preceding claims wherein the weight ratio of perfume to stabilising agent is 10:1 to 1:1, preferably 5:1 to 1:1.
- 12. A composition according to any one of the preceding claims comprising 0.1- 10 wt% water.

- 13. A method of preparing a fabric softening composition comprising the steps;
  - (i) preparing a base composition comprising a cationic and/or nonionic fabric softening agent, and
  - (ii) adding to (i) a composition according to any one of the preceding claims, to produce the fabric softening composition.
- 14. A fabric softening composition obtainable by the method of claim 13.

#### INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7:		(11) International Publication Number	WO 00/66703
C11D 17/00, 3/50, 1/62	A1	(43) International Publication Date:	9 November 2000 (09.11.00)

(21) International Application Number:

PCT/EP00/03724

(22) International Filing Date:

20 April 2000 (20.04.00)

(30) Priority Data:

9910101.6

30 April 1999 (30.04.99)

GB

- (71) Applicant (for AE AU BB CA CY GB GD GH GM IE IL KE LC LK LS MN MW NZ SD SG SL SZ TT TZ UG ZA ZW only): UNILEVER PLC [GB/GB]; Unilever House, Blackfriars, London EC4P 4BQ (GB).
- (71) Applicant (for all designated States except AE AU BB CA CY GB GD GH GM IE IL IN KE LC LK LS MN MW NZ SD SG SL SZ TT TZ UG US ZA ZW): UNILEVER NV [NL/NL]; Weena 455, NL-3013 AL Rotterdam (NL).
- (71) Applicant (for IN only): HINDUSTAN LEVER LIMITED [IN/IN]; Hindustan Lever House, 165/166 Backbay Reclamation, Maharashtra, Mumbai 400 020 (IN).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): FRASER, Stuart, Bernard [GB/GB]; Unilever Research Port Sunlight, Quarry Road East, Bebington, Wirral, Merseyside CH63 3JW (GB).

- (74) Agent: HODGETTS, Catherine, Dawn; Unilever PLC, Patent Department, Colworth House, Sharnbrook, Bedford, Bedfordshire MK44 1LQ (GB).
- (81) Designated States: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

#### Published

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: CONCENTRATED PERFUME COMPOSITIONS AND MANUFACTURE OF FABRIC SOFTENING COMPOSITIONS THEREFROM

#### (57) Abstract

The invention provides liquid compositions comprising: (a) 15 - 95 wt % lipophilic perfume, (b) 0.05 - 5 wt % water-soluble dye. (c) 4 - 50 wt % of a stabilising agent comprising a cationic stabilising agent, and (d) water miscible solvent wherein the composition comprises between 0.1 to 20 wt % water, the cationic stabilising agent has an L $\alpha$  to L $\beta$  transition temperature of 45 °C or less for a 5 wt % dispersion of the stabilising agent in water, and the solvent is present in an amount of up to 10 wt %. These concentrated perfume and dye compositions find particular application in fabric softening compositions. Also provided is a method of preparing a fabric conditioning composition by preparing a base composition comprising a cationic and/or nonionic fabric softening agent, and adding thereto, a composition of the invention. The fabric conditioning compositions thus produced are also provided. Simplified automated manufacture of fabric softening compositions is achieved.

			~ , p = 2			
COMBINED DECLARATION FOR PATENT APPLICATION AND POWER OF ATTOMINET E ATTORNEY'S DOCKET NUMBER (Includes Reference to PCT International Applications)						
As a below named inventor, I hereby declare that:						
	nd citizenship are as stated below nex	t to my name,	<i>5</i> /			
I believe I am the original, first and s below) of the subject matter which I	ole inventor (if only one name listed b s claimed and for which a patent is so	pelow) or an original first and journal	ventor (if plural names are listed			
CONCENTRATED PERFUME THEREFROM	COMPOSITIONS AND MANUI	FACTURE OF FABRIC SOFTE	NING COMPOSITIONS			
the specification of which (check on	ly one item below);					
is attached hereto.						
was filed as United States applicand was amended on		on				
was filed as PCT International a and was amended under PCT A	pplication PCT/EP00/03724 rticle 19 on (if	on 20 <sup>TH</sup> Apri	2000			
I hereby state that I have reviewed a amendment referred to above.	and understand the contents of the ab	pove-identified specification, includin	g the claims, as amended by any			
l acknowledge the duty to disclose i Federal Regulations, §1.56(a).	nformation which is material to the pa	atentability of this application in acco	ordance with Title 37, Code of			
I hereby claim foreign priority benefits under Title 35, United States Code \$119 of any foreign application(s) for patent or inventor's certificate or of any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed:						
PRIOR FOREIGN/PCT APPLICATION(S) AND ANY PRIORITY CLAIMS UNDER 35 U.S.C. 119:						
COUNTRY APPLICATION NUMBER DATE OF FILING PRIORITY CLAIMED (day,month,year) UNDER 35 USC 119						
UNITED KINGDOM 9910101.6		30 <sup>th</sup> April 1999	⊠ YES □ NO			
YES						
			YES NO			

I hereby claim the benefit under Title 35, United States Code \$120 of any United States application(s) or FCT international application(s) designating the United States of America that is/are listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in that /those prior application(s) in the manner provided by the first paragraph of Title 35, United States Code §112. I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations §1.56 (a) which occurred between the filing date of the prior application(s) and the national or PCT international filing date of this application.

PRIOR U.S. APPLICATIONS OR PCT INTERNATIONAL APPLICATIONS DESIGNATING THE U.S. FOR BENEFIT UNDER 35 U.S.C. 120.

U.S. APPLICATION(S)		STATUS (CHE	STATUS (CHECK ONE)		
U.S. APPLICATION NUMBER	U.S Filing Date	PATENTED	PENDING	ABANDONED	
PCT APPLICATIONS DESIGNATING THE U.S.					
PCT APPLICATION NUMBER	PCT Filing Date	U.S Serial Numbers Assigned (if any)			
PCT/EP00/03724	20 <sup>th</sup> April 2000				

COMBINED DECLARATION FOR PATENT APPLICATION AND POWER OF ATTORNEY (continued) (includes Reference to PCT International Applications)

ATTORNEY DOCKET NUMBER C3913 (C)

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.

CUSTOMER NUMBER: Q00201

Direct all correspondence to: CUSTOMER NUMBER 000201

Full Name of Inventor	Family Name	First Given Name	Second Given Name
	FRASER	Suart	Barnard
Residence &	City	State or Foreign Country	Country of Citizenship
Citizenship	Wirral, Merseyslde	United Kingdom GBX	United Kingdom
Post Office	Post Office Address	City	State & Zip Code/Country
Address	c/o Unilever Research Port Sunlight, Quarry Road East, Bebington	Wirral, Merseyside, CH63 3JW	United Kingdom

Full Name of Inventor	Family Name	First Given Name	Second Given Name
Residence & Citizenship	City	State or Foreign Country	Country of Citizenship
Post Office Address	Post Office Address	City	State & Zip Code/Country

Full Name of Inventor	Family Name	First Given Name	Second Given Name
Residence & Citizenship	City	State or Foreign Country	Country of Citizenship
Post Office Address	Post Office Address	City	State & Zip Code/Country

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that wilful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such wilful false statements may jeopardize the validity of the application or any patent issuing thereon.

Signature of Inventor 201	Signature of Inventor 202	Signature of Inventor 203
Strait Frazer		
Date	Date	Date
30th November 2001		